



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/464,671	12/15/1999	HUAI-RONG SHAO	MS1-438US	7956	
22801	7590 03/01/2004		EXAMINER		
	YES PLLC ERSIDE AVENUE SUIT	EL HADY, NABIL M			
	WA 99201	E 300	ART UNIT	PAPER NUMBER	
,			2154	6	
			DATE MAILED: 03/01/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

			-1	()
	Appl	ication No.	Applicant(s)	Show)
		64,671	SHAO ET AL.	V
Office Action Summar	Exam	niner	Art Unit	
		I M El-Hady	2154	
The MAILING DATE of this com Period for Reply	munication app ars o	n the cover sheet w	vith the correspondence add	ress
A SHORTENED STATUTORY PERIOD THE MAILING DATE OF THIS COMM - Extensions of time may be available under the provafter SIX (6) MONTHS from the mailing date of this lif the period for reply specified above is less than the If NO period for reply is specified above, the maxim - Failure to reply within the set or extended period for Any reply received by the Office later than three may be a second patent term adjustment. See 37 CFR 1.704	MUNICATION. risions of 37 CFR 1.136(a). In communication. rity (30) days, a reply within the statutory period will apply r reply will, by statute, cause the onths after the mailing date of	no event, however, may a he statutory minimum of th and will expire SIX (6) MO he application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this com NBANDONED (35 U.S.C. § 133).	nmunication.
Status				
1) Responsive to communication(s	·			
2a) This action is FINAL .	2b)⊠ This action			
3) Since this application is in cond		·		ments is
closed in accordance with the p	ractice under Ex part	e Quayle, 1935 C.	D. 11, 455 O.G. 215.	
Disposition of Claims				
4) Claim(s) 1-71 is/are pending in 4a) Of the above claim(s) 5) Claim(s) is/are allowed. 6) Claim(s) 1-71 is/are rejected. 7) Claim(s) is/are objected is solution are subject to re	is/are withdrawn from			
Application Papers				
9)☐ The specification is objected to t	•	_		
10)☐ The drawing(s) filed on is		-	-	
Applicant may not request that any				
Replacement drawing sheet(s) inclining The oath or declaration is object	-	(Table 1)	- · · · · · · ·	• •
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a classification and all b) Some * c) None 1. Certified copies of the price 2. Certified copies of the price 3. Copies of the certified copies of the price and copies of the certified copies of the price and copies of the certified copies	of: ority documents have ority documents have pies of the priority doc national Bureau (PCT	been received. been received in a cuments have been Rule 17.2(a)).	Application No n received in this National S	tage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Revi 3) Information Disclosure Statement(s) (PTO-14 Paper No(s)/Mail Date 4.		Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-1 	152)
PTOL-326 (Rev. 1-04)	Office Action Su	ımmary	Part of Paper No./	Mail Date 6

Art Unit: 2154

1. Claims 1-71 are pending in this application.

2. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 22-72 have been renumbered as 21-71, and the affected dependency of dependent claims are adjusted accordingly.

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-71 are rejected under 35 U.S.C. 102(e) as being anticipated by Aharoni et al. (US 6,014,694).
- 5. As to claim 1, Aharoni discloses the invention as claimed including a method comprising: receiving a data bitstream that includes object-based media information (col. 2, lines 31-32; and col. 8, lines 56-63); associating portions of the object-based media information with a plurality a of different transmission priority levels (col. 2, lines 29-31); and selectively transmitting the

Art Unit: 2154

portions of the object-based media information to over a network (col. 2, lines 31-35) configured to provide differential services based at least on the plurality of different transmission priority levels (inherent in col. 7, lines 39-42).

- As to claim 24, the claim is rejected for the same reasons as claim 1 above. In addition, Aharoni discloses an arrangement comprising: a server device (18, Figs. 1 and 2) configured to provide a data bitstream that includes object-based media information having portions of the object-based media information (col. 2, lines 31-32; and col. 8, lines 56-63) associated with a plurality of different transmission priority levels (col. 2, lines 29-31); at least one client device (22, Fig. 1); and at least one communication network operatively coupled between the server device and the client device (20, Fig. 1).
- 7. As to claim 47, Aharoni discloses the invention as claimed including a method for use in a communications node within a network, the method comprising: receiving data that includes object-based media information (col. 2, lines 31-32; and col. 8, lines 56-63) that is a packetized according to different transmission priority levels (col. 2, lines 29-31); and selectively outputting the portions of the object-based media information to based at least on the plurality of different transmission priority levels (col. 2, lines 31-35).
- 8. As to claim 65, Aharoni discloses the invention as claimed including a system comprising: at least one client device (22, Fig. 1) configured to receive prioritized video object-based data packets (col. 2, lines 29-35) and output control requests relating to a video object (col. 7, lines 62-67); at least one server device configured to output prioritized object-based data packets representing the video object (14, Fig. 1), the prioritized object-based data packets

Art Unit: 2154

being prioritized based at least on part on the type of data as selected from a group comprising control data, shape data, motion data, and texture data (col. 9, lines 57-64); and at least one video transmission agent (VTA) coupled to receive the prioritized object-based data packets from the server device (18, Figs. 1 and 2) and the control requests from the client device (34, Fig. 2), and to selectively output at least a portion of the received prioritized object-based data packets to the client device based in response to the control requests (col. 2, lines 31-35; and col. 7, lines 63-67).

- 9. As to claim 70, the claim is rejected for the same reasons as claim 1 above. In addition, a computer-readable medium having computer-executable instructions for performing the steps recited in Claim 1 is inherent in Aharoni's disclosure..
- 10. As to claim 71, the claim is rejected for the same reasons as claim 47 above. In addition, a computer-readable medium having computer-executable instructions for performing the steps recited in claim 47 is inherent in Aharoni's disclosure.
- 11. As to claims 2-4, 25-27, and 48-49, Aharoni discloses the data bitstream includes object-based media information for a single object, the single object is a video or audio object (inherent in col. 7, lines 7-11; and col. 8, lines 54-63).
- 12. As to claims 5 and 28, Aharoni discloses placing the portions of the object-based media information in a plurality of data packets, wherein each data packet is associated with a specific transmission priority (inherent in col. 3, lines 50-59).

Art Unit: 2154

- 13. As to claims 6 and 29, Aharoni discloses at least one of the plurality of data packets includes non-contiguous portions of data from within the data bitstream (inherent in Figs. 5, 6, and 7; in Fig. 8).
- 14. As to claims 7 and 30, Aharoni discloses causing the network to selectively halt the transmission of a first data packet carrying object-based media information that is associated with a first priority level prior to halting the transmission of a second data packet carrying object-based media information that is associated with a second priority level prior if the second priority level is higher than the first priority level, should a need arise while transmitting the first and second data packets (inherent in col. 2, lines 6-7; col. 7, lines 35-36, col. 9, lines 13-15, 57-64).
- 15. As to claims 8, 31, and 50, Aharoni discloses different substantially guaranteed Quality of Service (QoS) transmission capabilities for different transmission priority levels (inherent in col. 7, lines 39-42).
- 16. As to claims 9, 32, and 51, Aharoni discloses the object-based media information includes a plurality of different types of video frame layers selected from a group that includes Intra (I) coded frame layers, Predicted (P) frame layers, Bi-directionally (B) predicted frame layers, Intra (I) coded frame enhancement layers, Predicted (P) frame enhancement layers, and Bi-directionally (B) predicted frame enhancement layers (inherent in col. 3, lines 1-8; col. 8, line 44 to col. 10, line 65).

Art Unit: 2154

- As to claims 10, 23, and 52, Aharoni discloses setting the transmission priority levels 17. based at least in part on the type of video frame layer (col. 9, lines 57-64).
- As to claims 11, 34, and 53, Aharoni discloses causing Intra (1) coded frame layer data 18. to have a higher transmission priority level than Predicted (P) frame layer data; causing Predicted (P) frame layer data to have a higher transmission priority level than Bi-directionally (B) predicted frame layer data; causing Bi-directionally (B) predicted frame layer data to have a higher transmission priority level than Intra (I) coded frame enhancement layer data; causing Intra (I) coded frame enhancement layer data to have a higher transmission priority level than Predicted. (P) frame enhancement layer data; and causing Predicted (P) frame enhancement layer data to have a higher transmission priority level than Bi-directionally (B) predicted frame enhancement layer data (inherent in col. 7, lines 16-19; col. 9, line 57 to col. 10, line 48).
- 19. As to claims 12, 25, and 54, Aharoni discloses a plurality of different types of video object information selected from a group that includes control information, shape information, motion information and texture information (col. 9, lines 16-56).
- 20. As to claims 13, 36, and 55, Aharoni discloses setting the transmission priority levels based at least in part on the type of video object information (col. 9, line 57 to col. 10, line 20).
- As to claims 14-17,37-40, and 56-59, Aharoni discloses causing at least a portion of the 21. control information to have a higher transmission priority level than at least a portion of the shape information, causing at least a portion of the shape information to have a higher transmission priority level than at least a portion of the motion information, causing at least a

Art Unit: 2154

portion of the motion information to have a higher transmission priority level than at least a portion of the texture information, and causing at least a portion of the texture information to have a higher transmission priority level than at least a portion of the shape information (inherent in col. 7, lines 16-19; col. 9, line 57 to col. 10, line 48).

- As to claims 41 and 60, Aharoni discloses the object-based media information includes a plurality of different types of video frame layers selected from a group that includes Intra (I) coded frame layers, Predicted (P) frame layers, Bi-directionally (B) predicted frame layers, Intra (I) coded frame enhancement layers, Predicted (P) frame enhancement layers, and Bi-directionally (B) predicted frame enhancement layers; the object-based media information further includes a plurality of different types of video object information selected from a group that includes control information, shape information, motion information and texture information; and wherein associating portions of the object-based media information with the plurality of different transmission priority levels further includes setting the transmission priority levels based at least in part on the type of video frame layer and the type of video object information (inherent in col. 7, lines 16-19; col. 9, line 57 to col. 10, line 48).
- 23. As to claims 19, 42, and 61, Aharoni discloses setting the transmission to priority levels based at least in part on the type of video frame layer and the type of video object information further includes: setting control information to a class 0 transmission priority level; setting shape information and texture DC information of at least one Intra (I) coded frame layer to a class 1 transmission priority level; setting texture AC information of the Intra (I) coded frame base layer to a class 2 transmission priority level; setting shape information and motion information of at least one Predicted (P) frame layer to a class 3 transmission priority level; setting texture

Art Unit: 2154

information of the Predicted (P) frame layer to a class 4 transmission priority level; and setting shape information, motion information and texture information of at least one Bi-directionally (B) predicted -frame base layer to a class 5 transmission priority level, and wherein the class 0 transmission priority level is higher than the class I transmission priority level, the class 1 transmission priority level is higher than the class 2 transmission priority level, the class 2 transmission priority level is higher than the class 3 transmission priority level, the class 3 transmission priority level is s higher than the class 4 transmission priority level, and the class 4 transmission priority level is higher than the class 5 transmission priority level (inherent in col. 7, lines 16-19; col. 9, line 57 to col. 10, line 48; Figs. 4, 4, 6, 7, and 8).

- 24. As to claims 20-21, 43-44, and 62, Aharoni discloses receiving at least one down-stream preference with regard to the object-based media information; and selectively transmitting at least one of the portions of the object-based media information over the network based on the down-stream preference, and selectively halting the transmission of at least one of the portions of the object-based media information over the network based on the down-stream preference (inherent in col. 31-42,55-65; and col. 7, lines 39-42).
- 25. As to claims 22, 45, and 63, Aharoni discloses the data bitstream includes MPEG-4 encoded video data (col. 6, lines 56-60).
- 26. As to claims 23, 46, and 64, Aharoni discloses the network is an Internet Protocol (IP) based network (col. 2, lines 10-15).

Art Unit: 2154

- 27. As to claim 66, Aharoni discloses a network operatively coupled between the server device and the client device and wherein the video transmission agent (VTA) is operatively configured within the network (Figs. 1 and 2).
- 28. As to claim 67, Aharoni discloses providing differential services to the prioritized object-based data packets (inherent in col. 7, lines 39-42), such that prioritized object-based data packets having lower priority levels are selectively dropped should the network become congested (col. 7, lines 35-36; and col. 2, lines 6-7).
- 29. As to claims 68 and 69, Aharoni discloses the invention as claimed including a computer-readable medium having a data structure, comprising: a first field containing identifying data associated with a portion of a data bitstream that represents a video object (e.g. 60, Fig. 4); at least one second field that is derived from the first field and includes data representing object-based video information for the video object that has been classified as having a specific transmission priority level based on at least one type of object-based video information selected from a group comprising control information, shape information, motion information, and texture information (e.g. LEVEL 1 of KEY FRAMR, Fig. 5).
- 30. As to claim 69, Aharoni discloses a third field containing identifying data associated with the specific transmission priority level of the data in the second field (inherent in e.g. LEVEL 1 of KEY FRAMR, Fig. 5).

Art Unit: 2154

31. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Fukushima et al. (US 6,587,985); Boyce (US 6,490,705); Lackman et al. (US 6,188,670); Khaunte (US 6,546,017); Borella et al. (US 6,587,433); Ellington, Jr. et al. (US 6,175,569); Kamel et al. (US 6,078,998); Lauffenburger et al. (US 6,661,774); Davie (US 6,320,845); Yee et al. (US 6,147,980); Proctor et al. (US 6,125,110); Ruszczyk (US 6,205, 150); Milliken et al. (US 6,526,062); Kilkki et al. (US 6,549,938); Olsson et al. (US 6,577,596); Bayrakeri (US 6,185,602); Rhee (US 6,104,757); Fischer et al. (US 6,360,075); and Steer et al. (US 6,633,564);

32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nabil M El-Hady whose telephone number is (703) 308-7990. The examiner can normally be reached on 9:00 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Follansbee can be reached on (703) 305-8498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2154

February 25, 2004

Nabil El-Hady, Ph.D, M.B.A. Primary Patent Examiner Art Unit 2154